

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 24.07.2015

Version number 1

Revision: 24.07.2015

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Trade name:** QUITANET ULTRA**Article number / formula:** 9308F**1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

**Application of the substance / the preparation :** dental product**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

SEPTODONT.

58 rue du Pont de Creteil

94100 Saint Maur des Fosses

France

Téléphone: +33(0)149767000

Fax: +33(0)148855401

msds@septodont.com

http://www.septodont.com

**1.4 Emergency telephone number:**

France (ORFILA 24h/24) - Tel : +33 (0)1 45 42 59 59

Ireland - Tel : 00 353 1 8092568 - 00 353 1 8379964 (24h/24)

UK : +44 (0)-870-190-6777 (CARECHEM24)

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008 :**

GHS05

Eye Dam. 1      H318 Causes serious eye damage.



GHS09

Aquatic Acute 1      H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2      H315 Causes skin irritation.

**2.2 Label elements****Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

**Hazard pictograms**

GHS05



GHS09

(Contd. on page 2)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 24.07.2015

Version number 1

Revision: 24.07.2015

**Trade name: QUITANET ULTRA**

(Contd. of page 1)

 · **Signal word** Danger

 · **Hazard-determining components of labelling:**

didecyldimethylammonium chloride

Alkyl polyglycoléther C8-10 (OE)

AMINES,N-C12-14-ALKYLTRIMETHYLENEDI-

D-gluconic acid, compound with N,N''-bis(4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediamidine (2:1)

 · **Hazard statements**

H315 Causes skin irritation.

H318 Causes serious eye damage.

H410 Very toxic to aquatic life with long lasting effects.

 · **Precautionary statements**

P102 Keep out of reach of children.

P273 Avoid release to the environment.

 P305+P351+P338 **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

 P302+P352 **IF ON SKIN:** Wash with plenty of water.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

 · **2.3 Other hazards**

 · **Results of PBT and vPvB assessment**

 · **PBT:** Not applicable.

 · **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

 · **3.2 Chemical characterisation: Mixtures**

 · **Description:** Mixture: consisting of the following components.

 · **Dangerous components:**

CAS: 71060-57-6	Alkyl polyglycoléther C8-10 (OE) ⚠ Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302	2.5-10%
CAS: 7173-51-5 EINECS: 230-525-2 Index number: 612-131-00-6	didecyldimethylammonium chloride ⚠ Skin Corr. 1B, H314; ⚠ Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400; ⚠ Aquatic Chronic 2, H411; ⚠ Acute Tox. 4, H302; ⚠ Acute Tox. 4, H312	2.5-10%
CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0 RTECS: NT 8050000 Reg.nr.: 01-2119457558-25-xxxx	propan-2-ol ⚠ Flam. Liq. 2, H225; ⚠ Eye Irrit. 2, H319; STOT SE 3, H336	2.5-10%
CAS: 90640-43-0 Reg.nr.: 01-2119957843-25	AMINES,N-C12-14-ALKYLTRIMETHYLENEDI- ⚠ Acute Tox. 3, H301; ⚠ STOT RE 1, H372; ⚠ Skin Corr. 1B, H314; ⚠ Aquatic Acute 1, H400	≤2.5%
CAS: 18472-51-0 EINECS: 242-354-0	D-gluconic acid, compound with N,N''-bis(4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediamidine (2:1) ⚠ Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400	≤1%

 · **Regulation 648/2004 on Detergents :**

cationic surfactants

5 - 15%

(Contd. on page 3)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 24.07.2015

Version number 1

Revision: 24.07.2015

**Trade name: QUITANET ULTRA**

(Contd. of page 2)

· **Additional information:** For the wording of the listed risk phrases, refer to section 16.

#### **SECTION 4: First aid measures**

· **4.1 Description of first aid measures**

· **General information:**

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· **After excessive inhalation:**

In case of unconsciousness place patient in a stable laying down side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:** Call for a doctor immediately.

· **4.2 Most important symptoms and effects, both acute and delayed :**

No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed :**

No further relevant information available.

#### **SECTION 5: Firefighting measures**

· **5.1 Suitable extinguishing agents:**

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **5.2 Special hazards arising from the substance or mixture :** No further relevant information available.

· **5.3 Advice for firefighters**

· **Protective equipment:** No special measures required.

#### **SECTION 6: Accidental release measures**

· **6.1 Personal precautions, protective equipment and emergency procedures :** Not required.

· **6.2 Environmental precautions:**

Dilute with plenty of water.

Do not allow the product to enter sewers/ surface water or ground water.

· **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· **6.4 Reference to other sections :**

See Section 7 for information on safe handling.

See Section 8 for information on personal protective equipment.

See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

· **7.1 Precautions for safe handling :**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· **Information about fire - and explosion protection:** No special measures required.

(Contd. on page 4)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 24.07.2015

Version number 1

Revision: 24.07.2015

**Trade name: QUITANET ULTRA**

(Contd. of page 3)

- 7.2 Conditions for safe storage, including any incompatibilities
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- 7.3 Specific end use(s) : No further relevant information available.

**SECTION 8: Exposure controls/personal protection**

- **Additional information about design of technical facilities:** No further data; see section 7.

· 8.1 Control parameters

· **Ingredients with limit values that require monitoring at the workplace:**

**67-63-0 propan-2-ol (2.5-10%)**

WEL (Great Britain)	Short-term value: 1250 mg/m <sup>3</sup> , 500 ppm Long-term value: 999 mg/m <sup>3</sup> , 400 ppm
MAK (Switzerland)	Short-term value: 1000 mg/m <sup>3</sup> , 400 ppm Long-term value: 500 mg/m <sup>3</sup> , 200 ppm B SSc;

· **Ingredients with biological limit values:**

**67-63-0 propan-2-ol (2.5-10%)**

BAT (Switzerland)	25 mg/l Medium: U Sampling time: b Parameter: Aceton
	25 mg/l Medium: B Sampling time: b Parameter: Aceton

· **Additional information:**

The most current valid lists have been used as a basis for the production of this document.

· 8.2 Exposure controls

· **Personal protective equipment:**

· **General protective and hygienic measures:**

- Keep away from food, beverages and petfood.
- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Avoid all contact with the skin.
- Avoid contact with the eyes and skin.

· **Respiratory protection:** Not required.

· **Protection of hands:**



Protective gloves

· **Gloves material :**

(Contd. on page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 24.07.2015

Version number 1

Revision: 24.07.2015

**Trade name: QUITANET ULTRA**

(Contd. of page 4)

The selection of suitable gloves does not depend only on the material, but also on further marks of quality which may vary from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked before use.

**· Eye protection:**



Tightly sealed goggles

**SECTION 9: Physical and chemical properties**

**· 9.1 Information on basic physical and chemical properties**

**· General Information**

**· Appearance:**

· <b>Form:</b>	Liquid
· <b>Colour:</b>	Blue
· <b>Odour:</b>	Characteristic
· <b>Odour threshold:</b>	Not determined.

· **pH-value:** 7

**· Change in condition**

· <b>Melting point/Melting range:</b>	Undetermined.
· <b>Boiling point/Boiling range:</b>	Undetermined.

· **Flash point:** 60-93 °C

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:** 425 °C

· **Decomposition temperature:** Not determined.

· **Self-igniting:** Product is not self igniting.

· **Danger of explosion:** Product does not present an explosion hazard.

**· Explosion limits:**

· <b>Lower:</b>	Not determined.
· <b>Upper:</b>	Not determined.

· **Vapour pressure:** Not determined.

· <b>Density at 20 °C:</b>	1 g/cm <sup>3</sup>
· <b>Relative density :</b>	Not determined.
· <b>Vapour density :</b>	Not determined.
· <b>Evaporation rate :</b>	Not determined.

· **Solubility in / Miscibility with water:** Fully miscible.

· **Segregation coefficient (n-octanol/water):** Not determined.

**· Viscosity:**

· <b>Dynamic:</b>	Not determined.
· <b>Kinematic:</b>	Not determined.

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 24.07.2015

Version number 1

Revision: 24.07.2015

**Trade name: QUITANET ULTRA**

(Contd. of page 5)

· **9.2 Other information :** No further relevant information available.

**SECTION 10: Stability and reactivity**

- **10.1 Reactivity**
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions :** No dangerous reactions known.
- **10.4 Conditions to avoid :** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

**SECTION 11: Toxicological information**

- **11.1 Information on toxicological effects**
- **Acute toxicity**

· **LD/LC50 values relevant for classification:**

**7173-51-5 didecyldimethylammonium chloride**

Oral	LD50	410 mg/kg (rat)
Dermal	LD50	1625 mg/kg (rat)

**67-63-0 propan-2-ol**

Oral	LD50	5045 mg/kg (rat)
Dermal	LD50	12800 mg/kg (rabbit)
Inhalative	LC50/4 h	30 mg/l (rat)

- **Primary irritant effect:**
- **On the skin:** Irritant to skin and mucous membranes.
- **On the eyes:**  
Strong irritant with the danger of severe eye injury.  
Irritating effect.
- **Respiratory or skin sensitisation** No sensitising effects known.
- **Additional toxicological information:**  
The product shows the following hazards according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:  
Harmful  
Irritant

**SECTION 12: Ecological information**

- **12.1 Toxicity**

· **Aquatic toxicity:**

**67-63-0 propan-2-ol**

EC50 72h	>1000 mg/l (Algae)
LC50 48h	8970 mg/l (fish)

- **12.2 Persistence and degradability :** No further relevant information available.
- **12.3 Bioaccumulative potential :** No further relevant information available.
- **12.4 Mobility in soil :** No further relevant information available.

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 24.07.2015

Version number 1

Revision: 24.07.2015

**Trade name: QUITANET ULTRA**

(Contd. of page 6)

- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects :** No further relevant information available.

**SECTION 13: Disposal considerations**

- **13.1 Waste treatment methods**
- **Recommendation :**



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- **European waste catalogue**

18 00 00	WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (except kitchen and restaurant wastes not arising from immediate health care)
18 01 00	wastes from natal care, diagnosis, treatment or prevention of disease in humans
18 01 06*	chemicals consisting of or containing dangerous substances

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

**SECTION 14: Transport information**

- **14.1 UN-Number**
- **ADR, IMDG, IATA**

UN3082

- **14.2 UN proper shipping name**
- **ADR**

UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (AMINES, N-C12-14-ALKYLTRIMETHYLENEDI-, didecyldimethylammonium chloride, Alkyl polyglycoléther C8-10 (OE))

- **IMDG**

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (AMINES, N-C12-14-ALKYLTRIMETHYLENEDI-, didecyldimethylammonium chloride, Alkyl polyglycoléther C8-10 (OE), D-gluconic acid, compound with N,N''-bis(4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediamidine (2:1), MARINE POLLUTANT

- **IATA**

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (AMINES, N-C12-14-ALKYLTRIMETHYLENEDI-, didecyldimethylammonium chloride, Alkyl polyglycoléther C8-10 (OE))

(Contd. on page 8)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 24.07.2015

Version number 1

Revision: 24.07.2015

**Trade name: QUITANET ULTRA**

(Contd. of page 7)

· **14.3 Transport hazard class(es)**

· **ADR**



· **Class** 9 (M6) Miscellaneous dangerous substances and articles.  
· **Label** 9

· **IMDG, IATA**



· **Class** 9 Miscellaneous dangerous substances and articles.  
· **Label** 9

· **14.4 Packing group**

· **ADR, IMDG, IATA** III

· **14.5 Environmental hazards:**

· **Marine pollutant:** Yes  
Symbol (fish and tree)  
· **Special marking (ADR):** Symbol (fish and tree)  
· **Special marking (IATA):** Symbol (fish and tree)

· **14.6 Special precautions for user**

Warning: Miscellaneous dangerous substances and articles.  
· **Danger code (Kemler):** 86  
· **EMS Number:** F-A,S-F

· **14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

· **Transport/Additional information:**

· **ADR**

· **Limited quantities (LQ)** 5L  
· **Excepted quantities (EQ)** Code: E1  
Maximum net quantity per inner packaging: 30 ml  
Maximum net quantity per outer packaging: 1000 ml  
· **Transport category** 3  
· **Tunnel restriction code** E

· **IMDG**

· **Limited quantities (LQ)** 5L  
· **Excepted quantities (EQ)** Code: E1  
Maximum net quantity per inner packaging: 30 ml  
Maximum net quantity per outer packaging: 1000 ml

(Contd. on page 9)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 24.07.2015

Version number 1

Revision: 24.07.2015

**Trade name: QUITANET ULTRA**

(Contd. of page 8)

· UN "Model Regulation":	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (AMINES, N-C12-14-ALKYLTRIMETHYLENEDI-, didcyldimethylammonium chloride, Alkyl polyglycoléther C8-10 (OE)), 9, III
--------------------------	--

### SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- Named dangerous substances - ANNEX I None of the ingredients is listed.
- Seveso category E1 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

- H225 Highly flammable liquid and vapour.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H411 Toxic to aquatic life with long lasting effects.

· **Abbreviations and acronyms:**

- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- Flam. Liq. 2: Flammable liquids, Hazard Category 2
- Acute Tox. 3: Acute toxicity, Hazard Category 3
- Acute Tox. 4: Acute toxicity, Hazard Category 4
- Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B
- Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
- Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1
- Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2
- STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3
- STOT RE 1: Specific target organ toxicity - Repeated exposure, Hazard Category 1
- Aquatic Acute 1: Hazardous to the aquatic environment - Acute Hazard, Category 1
- Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1
- Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2