

Safety data sheet

According to 1907/2006/EC, Article 31

Printing date 02.12.2017

Version number 3

Revision: 02.12.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** DECIDENT
- **Article number / formula:** 291S
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the preparation :** dental product
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
SEPTODONT.
58 rue du Pont de Creteil
94100 Saint Maur des Fosses
France
Téléphone: +33(0)149767000
Fax: +33(0)148855401
msds@septodont.com
http://www.septodont.com
- **1.4 Emergency telephone number:**
France (INRS 24h/24) - Tel : +33 (0)1 45 42 59 59
Ireland - Tel : 00 353 1 8092568 - 00 353 1 8379964 (24h/24) EU Tel: 112
Belgique - Tel : 32 070/245 245
UK : +44 (0)-870-190-6777 (CARECHEM24)

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008 :**



GHS02

Flam. Liq. 2 H225 Highly flammable liquid and vapour.


GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS02 GHS07

- **Signal word** *Danger*
- **Hazard statements**
H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.

(Contd. on page 2)

Safety data sheet

According to 1907/2006/EC, Article 31

Printing date 02.12.2017

Version number 3

Revision: 02.12.2017

Trade name: DECIDENT

(Contd. of page 1)

· Precautionary statements

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P233 Keep container tightly closed.
- P264 Wash hands thoroughly after handling.
- P280 Wear eye protection / face protection.
- P302+P352 IF ON SKIN: Wash with plenty of water.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P403+P235 Store in a well-ventilated place. Keep cool.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· **Description:** Mixture: consisting of the following components.

· Dangerous components:

CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5 RTECS: KQ 6300000 Reg.nr.: 01-2119457610-43-xxxx	ethanol ☠ Flam. Liq. 2, H225; ⚠ Eye Irrit. 2, H319	50-100%
CAS: 90-43-7 EINECS: 201-993-5 Index number: 604-020-00-6 RTECS: DV 5775000	biphenyl-2-ol ☠ Aquatic Acute 1, H400; ⚠ Skin Irrit. 2, H315; ⚠ Eye Irrit. 2, H319; STOT SE 3, H335	<0.5%

· **SVHC** No

· **Additional information:** For the wording of the listed risk phrases, refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- **After excessive inhalation:** Provide fresh air; consult a doctor in case of medical complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult a doctor.

· 4.2 Most important symptoms and effects, both acute and delayed :

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed :

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Suitable extinguishing agents:

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· 5.2 Special hazards arising from the substance or mixture :

No further relevant information available.

(Contd. on page 3)

Safety data sheet

According to 1907/2006/EC, Article 31

Printing date 02.12.2017

Version number 3

Revision: 02.12.2017

Trade name: DECIDENT

- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

(Contd. of page 2)

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures :**
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:**
Dilute with plenty of water.
Do not allow the product to enter sewers/ surface water or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.
- **6.4 Reference to other sections :**
See Section 7 for information on safe handling.
See Section 8 for information on personal protective equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling :**
Keep receptacles tightly sealed.
Keep away from heat and direct sunlight.
- **Information about fire - and explosion protection:**



Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Keep container tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
- **7.3 Specific end use(s) :** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see section 7.
- **8.1 Control parameters**

Ingredients with limit values that require monitoring at the workplace:
CAS: 64-17-5 ethanol (50-100%)

WEL (Great Britain)	Long-term value: 1920 mg/m ³ , 1000 ppm
MAK (Switzerland)	Short-term value: 1920 mg/m ³ , 1000 ppm
	Long-term value: 960 mg/m ³ , 500 ppm
	SSc;

(Contd. on page 4)

Safety data sheet

According to 1907/2006/EC, Article 31

Printing date 02.12.2017

Version number 3

Revision: 02.12.2017

Trade name: DECIDENT

(Contd. of page 3)

· DNEs

CAS: 64-17-5 ethanol

Dermal	DNEL Worker long-term systemic	343 mg/kg bw/d
Inhalative	DNEL Worker long-term systemic	950 mg/m ³
	DNEL Worker acute/short-term local effects	19 mg/m ³

· PNECs

CAS: 64-17-5 ethanol

Oral	PNEC sediment (fresh water)	3.6 mg/kg
	PNEC STP	0.72 mg/L
	PNEC aqua (fresh water)	0.96 mg/L
	PNEC aqua (marine water)	0.79 mg/L
	PNEC sediment (marine water)	2.9 mg/kg
	PNEC soil	0.63 mg/kg

· Additional information:

The most current valid lists have been used as a basis for the production of this document.

· 8.2 Exposure controls

· Personal protective equipment:

· **General protective and hygienic measures:** Wash hands before breaks and at the end of work.

· **Respiratory protection:** Not required.

· **Protection of hands:** Not required.

· **Gloves material :** -

· **Eye protection:**



Tightly sealed goggles

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

Form:	Liquid
Colour:	According to product specification
Odour:	Characteristic
Odour threshold:	Not determined.

· **pH-value:** Not determined.

· Change in condition

Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	Undetermined.

· **Flash point:** ≤21 °C

· **Flammability (solid, gas):** Not applicable.

· **Ignition temperature:** Not applicable.

· **Decomposition temperature:** Not determined.

(Contd. on page 5)

Safety data sheet

According to 1907/2006/EC, Article 31

Printing date 02.12.2017

Version number 3

Revision: 02.12.2017

Trade name: DECIDENT

(Contd. of page 4)

· Auto-ignition temperature:	Product is not self igniting.
· Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· Explosion limits:	
Lower:	3,5 Vol %
Upper:	15,0 Vol %
· Vapour pressure at 20 °C:	59 hPa
· Density:	Not determined.
· Relative density :	Not determined.
· Vapour density :	Not determined.
· Evaporation rate :	Not determined.
· Solubility in / Miscibility with water:	Fully miscible.
· Segregation coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
VOC (EC)	67.20 %
· 9.2 Other information :	No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions :** No dangerous reactions known.
- **10.4 Conditions to avoid :** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**

CAS: 64-17-5 ethanol

Oral	LD50	7,060 mg/kg (rat)
Inhalative	LC50/4 h	20,000 mg/l (rat)

CAS: 90-43-7 biphenyl-2-ol

Oral	LD50	2,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)

- **Primary irritant effect:**
- **On the skin:** Based on available data, the classification criteria are not met.

(Contd. on page 6)

Safety data sheet

According to 1907/2006/EC, Article 31

Printing date 02.12.2017

Version number 3

Revision: 02.12.2017

Trade name: DECIDENT

(Contd. of page 5)

- **On the eyes:**
Causes serious eye irritation.
- **Respiratory or skin sensitization** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

CAS: 64-17-5 ethanol

EC50 72h	275 mg/l (Algae)
EC50 48h	12,340 mg/l (daphnia)
EC50 96h	13,000 mg/l (fish)

- **12.2 Persistence and degradability** : No further relevant information available.
- **12.3 Bioaccumulative potential** : No further relevant information available.
- **12.4 Mobility in soil** : No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** : No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation :



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

HP 3	Flammable
HP 4	Irritant - skin irritation and eye damage

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 7)



Safety data sheet
According to 1907/2006/EC, Article 31

Printing date 02.12.2017

Version number 3

Revision: 02.12.2017

Trade name: DECIDENT

(Contd. of page 6)

· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.**SECTION 14: Transport information**· **14.1 UN-Number**· **ADR, IMDG, IATA**

UN1170

· **14.2 UN proper shipping name**· **ADR**

UN1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

· **IMDG**

ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

· **IATA**

ETHANOL SOLUTION

· **14.3 Transport hazard class(es)**· **ADR**· **Class**

3 (F1) Flammable liquids.

· **Label**

3

· **IMDG, IATA**· **Class**

3 Flammable liquids.

· **Label**

3

· **14.4 Packing group**· **ADR, IMDG, IATA**

II

· **14.5 Environmental hazards:**· **Marine pollutant:**

No

· **14.6 Special precautions for user**

Warning: Flammable liquids.

· **Danger code (Kemler):**

33

· **EMS Number:**

F-E,S-D

· **Stowage Category**

A

· **14.7 Transport in bulk according to Annex II of
Marpol and the IBC Code**

Not applicable.

· **Transport/Additional information:**· **ADR**· **Limited quantities (LQ)**

1L

· **Excepted quantities (EQ)**

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

· **Transport category**

2

· **Tunnel restriction code**

D/E

(Contd. on page 8)



Safety data sheet
According to 1907/2006/EC, Article 31

Printing date 02.12.2017

Version number 3

Revision: 02.12.2017

Trade name: DECIDENT

(Contd. of page 7)

· IMDG	IL
· Limited quantities (LQ)	Code: E2
· Excepted quantities (EQ)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category P5c FLAMMABLE LIQUIDS**
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5,000 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50,000 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
H225 Highly flammable liquid and vapour.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H400 Very toxic to aquatic life.

Classification according to Regulation (EC) No 1272/2008

Flammable liquids	Bridging principles
Serious eye damage/eye irritation	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 2: Flammable liquids – Category 2

(Contd. on page 9)



Safety data sheet
According to 1907/2006/EC, Article 31

Printing date 02.12.2017

Version number 3

Revision: 02.12.2017

Trade name: DECIDENT

(Contd. of page 8)

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

GB