

Printing date 09.04.2018 Version number 3 Revision: 09.04.2018

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Plastalgin fast

· Article number / formula: 238S

 $\cdot$  1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

 $\cdot \textit{Application of the substance / the preparation:} \ dental\ product$ 

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

SEPTODONT.

58 rue du Pont de Creteil 94100 Saint Maur des Fosses

France

Téléphone: +33(0)149767000 Fax: +33(0)148855401 msds@septodont.com http://www.septodont.com

· 1.4 Emergency telephone number:

France (INRS  $24h/\overline{2}4$ ) - Tel : +33 (0)1 45 42 59 59

Ireland - Tel: 00 353 1 8092568 - 00 353 1 8379964 (24h/24) EU Tel: 112

Belgique - Tel: 32 070/245 245

UK: Call NHS 999 in a medical emergency. If you urgently need medical help or advice but it's not a life-threatening situation, call 111 (24/7). The NHS 111 number is currently only available in certain areas. If you're outside of these areas, you should call NHS Direct on 0845 4647

## SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- $\cdot \textit{Classification according to Regulation (EC) No \ 1272/2008:}$



GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard-determining components of labelling:

dipotassium hexafluorotitanate

· Hazard statements

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

(Contd. on page 2)



Printing date 09.04.2018 Version number 3 Revision: 09.04.2018

Trade name: Plastalgin fast

(Contd. of page 1)

· Precautionary statements

*P280* Wear protective gloves.

P280 Wear eye protection / face protection. P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT**: Not applicable. · **vPvB**: Not applicable.

### SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · **Description:** Mixture: consisting of the following components.

· Dangerous components:		
CAS: 9005-36-1	Alginic acid, potassium salt  O Eye Irrit. 2, H319	10-25%
CAS: 7778-18-9	calcium sulphate	5-10%
EINECS: 231-900-3 Reg.nr.: 01-2119444918-26	<b>(</b> ) Acute Tox. 4, H302; Acute Tox. 4, H332	
CAS: 7722-88-5 EINECS: 231-767-1 Reg.nr.: 01-2119489794-17-000	tetrasodium pyrophosphate  Eye Dam. 1, H318; Acute Tox. 4, H302	≤2.5%
CAS: 16919-27-0 EINECS: 240-969-9	dipotassium hexafluorotitanate	≤1%

- · SVHC No
- · Additional information: For the wording of the listed risk phrases, refer to section 16.

### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After excessive inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient in a stable laying down side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult a doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed:

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

GB





Printing date 09.04.2018 Version number 3 Revision: 09.04.2018

Trade name: Plastalgin fast

(Contd. of page 2)

### **SECTION 5: Firefighting measures**

- · 5.1 Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture: No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

### SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures: Not required.
- · 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow the product to enter sewers/ surface water or ground water.

- 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- · 6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protective equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling: No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- $\cdot$  7.3 *Specific end use*(s): *No further relevant information available.*

### SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see section 7.
- 8.1 Control parameters

· 8.1 Control paramete	· 8.1 Control parameters		
· Ingredients with limi	· Ingredients with limit values that require monitoring at the workplace:		
CAS: 68855-54-9 Kie	CAS: 68855-54-9 Kieselguhr, soda ash flux-calcined (50-100%)		
MAK (Switzerland)	Long-term value: 0.3 a mg/m <sup>3</sup>		
	SSc;		
CAS: 7778-18-9 calc	CAS: 7778-18-9 calcium sulphate (5-10%)		
MAK (Switzerland)	Long-term value: 3 a mg/m³		
	SSc;		
CAS: 1309-48-4 mag	CAS: 1309-48-4 magnesium oxide (5-10%)		
WEL (Great Britain)	Long-term value: 10* 4** mg/m³		
	(as Mg) *inhalable dust **fume and respirable dust		

(Contd. on page 4)



Printing date 09.04.2018 Version number 3 Revision: 09.04.2018

Trade name: Plastalgin fast

			(Contd. of page 3)
		Long-term value: 3 a mg/m³	
		*SSc;*Magnesiumoxid	
CAS: 7722	-88-5 tetra	sodium pyrophosphate (≤2.5%)	
WEL (Gree	at Britain)	Long-term value: 5 mg/m³	
MAK (Switzerland) Long-term value: 5 e mg/m³			
DNELs			
CAS: 7778	2-18-9 calc	ium sulphate	
Oral	DNEL Pu	blic long-term systemic	1.52 mg/kg bw/d
Inhalative	DNEL Pu	blic long-term systemic	$mg/m^3$
	DNEL Wo	rker long-term systemic	$21 \text{ mg/m}^3$
	DNEL Pu	blic acute/short-term local effects	$3,811 \text{ mg/m}^3$
	DNEL Wo	rker acute/short-term local effects	$5,082 \ mg/m^3$
PNECs			
CAS: 7778-18-9 calcium sulphate			
PNEC STP 100 mg/L			

· Additional information:

The most current valid lists have been used as a basis for the production of this document.

- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

- · Respiratory protection: Not required.
- · Protection of hands:



Protective gloves

- · Gloves material: Butyl rubber, BR
- · Eye protection:



Safety glasses

### SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form:

Colour: According to product specification

· Odour: Characteristic · Odour threshold: Not determined.

Not applicable. · pH-value:

(Contd. on page 5)





Printing date 09.04.2018 Version number 3 Revision: 09.04.2018

Trade name: Plastalgin fast

		(Contd. of pag
· Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gas):	Not determined.	
Ignition temperature:	Not applicable.	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not self igniting.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure:	Not applicable.	
Density:	Not determined.	
Relative density:	Not determined.	
Vapour density:	Not applicable.	
Evaporation rate:	Not applicable.	
Solubility in / Miscibility with		
water:	Insoluble.	
· Segregation coefficient (n-octanol/water): Not determined.		
Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Solvent content:		
VOC (EC)	0.00 %	
9.2 Other information :	No further relevant information available.	

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions: No dangerous reactions known.
- · 10.4 Conditions to avoid: No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)



Printing date 09.04.2018 Version number 3 Revision: 09.04.2018

Trade name: Plastalgin fast

		(Contd. of page 5)	
LD/LC50 values relevant for classification:			
CAS: 7778-18-9 calcium sulphate			
Oral	LD50	>1,581 mg/kg (rat) >2.61 mg/l (rat)	
In halative	LC50/4 h	>2.61 mg/l (rat)	
CAS: 7722-88-5 tetrasodium pyrophosphate			
Oral	LD50	500 mg/kg (ATE)	

CAS: 16919-27-0 dipotassium hexafluorotitanate

Oral LD50 500 mg/kg (ATE)

- · Primary irritant effect:
- · On the skin: Based on available data, the classification criteria are not met.
- · On the eyes:

Causes serious eye irritation.

· Respiratory or skin sensitization

May cause an allergic skin reaction.

- · CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:		
CAS: 7778-18-9 calcium sulphate		
	>79 mg/l (fish)	
EC50 72h	>79 mg/l (Algae)	
EC50 48h	>79 mg/l (daphnia)	

- · 12.2 Persistence and degradability: No further relevant information available.
- 12.3 Bioaccumulative potential: No further relevant information available.
- 12.4 Mobility in soil: No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects: No further relevant information available.

GB





Printing date 09.04.2018 Version number 3 Revision: 09.04.2018

Trade name: Plastalgin fast

(Contd. of page 6)

## SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation:



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number ADR, ADN, IMDG, IATA	Not classified as hazardous for transport
	tvoi ciassifiea as nazaraous for transport
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Not classified as hazardous for transport
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Not classified as hazardous for transport
14.4 Packing group ADR, IMDG, IATA	Not classified as hazardous for transport
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Ann	ex II of
Marpol and the IBC Code	Not applicable.
UN ''Model Regulation'':	Not classified as hazardous for transport

## **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

(Contd. on page 8)





Printing date 09.04.2018 Version number 3 Revision: 09.04.2018

Trade name: Plastalgin fast

(Contd. of page 7)

H319 Causes serious eye irritation. H332 Harmful if inhaled.

· Classification according to Regulation (EC) No 1272/2008			
Serious eye damage/eye irritation	The classification of the mixture is generally based on		
Skin sensitisation	the calculation method using substance data		
	according to Regulation (EC) No 1272/2008.		

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

GB