

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 29.10.2013

Version number 1

Revision: 29.10.2013

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** SEPTALLOY NG 50 Capsules
- **Article number / formula:** N071
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the preparation :** dental product
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
SEPTODONT.
58 rue du Pont de Creteil
94100 Saint Maur des Fosses
France
Téléphone: +33(0)149767000
Fax: +33(0)148855401
msds@septodont.com
http://www.septodont.com
- **1.4 Emergency telephone number:**
France (ORFILA 24h/24) - Tel : +33 (0)1 45 42 59 59
Ireland - Tel : 00 353 1 8092568 - 00 353 1 8379964 (24h/24)
EU Tel : 112

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008 :**



Acute Tox. 2 H330 Fatal if inhaled.



Repr. 1B H360D May damage the unborn child.


STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure.




Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC :**



R26: Very toxic by inhalation.



R61-48/23: May cause harm to the unborn child. Toxic: danger of serious damage to health by prolonged exposure through inhalation.

(Contd. on page 2)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 29.10.2013

Version number 1

Revision: 29.10.2013

Trade name: SEPTALLOY NG 50 Capsules

(Contd. of page 1)

**N; Dangerous for the environment**

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Information concerning particular hazards for human and environment:

The product has to be labelled in the latest valid version according to the calculation procedure of the "General Classification guideline for preparations of the EU".

Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

2.2 Label elements**Labelling according to EU guidelines:**

The product has been marked in accordance with EU Directives / respective national laws. 2008/58/CE (30eme ATP) ; 2009/2/CE (31eme ATP) ; 2006/8/CE

Code letter and hazard designation of product:**T+ Very toxic****N Dangerous for the environment****Hazard-determining components of labelling:**

mercury

Risk phrases:

61 May cause harm to the unborn child.

26 Also very toxic by inhalation.

48/23 Also toxic: danger of serious damage to health by prolonged exposure through inhalation.

50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Safety phrases:

53 Avoid exposure - obtain special instructions before use.

28 After contact with skin, wash immediately with plenty of water.

36/37 Wear suitable protective clothing and gloves.

45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

57 Use appropriate container to avoid environmental contamination.

Special labelling of certain preparations:

Restricted to professional users.

2.3 Other hazards**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**SECTION 3: Composition/information on ingredients****3.2 Chemical characterization: Mixtures****Description:** Mixture: consisting of the following components.

(Contd. on page 3)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 29.10.2013







Version number 1

Revision: 29.10.2013

Trade name: SEPTALLOY NG 50 Capsules

(Contd. of page 2)

· Dangerous components:

CAS: 7439-97-6	mercury	50-100%
EINECS: 231-106-7	 T+ R26;  T Repr. Cat. 2 R61-48/23;  N R50/53  Acute Tox. 2, H330;  Repr. 1B, H360D; STOT RE 1, H372;  Aquatic Acute 1, H400; Aquatic Chronic 1, H410	

· **Additional information:** For the wording of the listed risk phrases, refer to section 16.

SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· **General information:**

Immediately remove any clothing soiled by the product.

Remove breathing equipment only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· **After excessive inhalation:**

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient in a stable laying down side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:** If symptoms persist consult a doctor.

· **4.2 Most important symptoms and effects, both acute and delayed :**

Headache

Dizziness

Dizziness

Gastric or intestinal disorders

Unconsciousness

· **4.3 Indication of any immediate medical attention and special treatment needed :**

If swallowed or in case of vomiting, danger of entering the lungs.

Monitor circulation.

Medical supervision for at least 48 hours.

SECTION 5: Firefighting measures

· **5.1 Suitable extinguishing agents:**

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **5.2 Special hazards arising from the substance or mixture :**

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

Mercury vapor

· **5.3 Advice for firefighters**

· **Protective equipment:**

Wear self-contained respiratory protective device.

Wear fully protective suit.

· **Additional information**

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

GB

(Contd. on page 4)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 29.10.2013

Version number 1

Revision: 29.10.2013

Trade name: SEPTALLOY NG 50 Capsules

(Contd. of page 3)

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures :**
Wear protective equipment. Keep unprotected persons away.
Mount respiratory protective device.
Ensure adequate ventilation
- **6.2 Environmental precautions:**
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb mercury spill with absorbent material (eg powder or flowers of sulfur amalgamantes base metals such as copper or tin, or molecular sieve of copper ions and silica gel) or by vacuum suction.
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **6.4 Reference to other sections :**
See Section 7 for information on safe handling.
See Section 8 for information on personal protective equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling :**
Work in a cool and well ventilated. Avoid contact of product with skin and eyes. Do not inhale mercury.
Thorough dedusting.
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
- **Information about fire - and explosion protection:** Keep respiratory protective device available.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Store in original container in a dry, cool and well-ventilated place.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **7.3 Specific end use(s) :** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see section 7.
- **8.1 Control parameters**

Ingredients with limit values that require monitoring at the workplace:**7439-97-6 mercury (50-100%)**IOELV (EU) Long-term value: 0.02 mg/m³**7440-22-4 silver (10-25%)**WEL (Great Britain) Long-term value: 0.1 mg/m³IOELV (EU) Long-term value: 0.1 mg/m³

(Contd. on page 5)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 29.10.2013

Version number 1

Revision: 29.10.2013

Trade name: SEPTALLOY NG 50 Capsules

(Contd. of page 4)

7440-50-8 copper (10-25%)

WEL (Great Britain)	Short-term value: 2** mg/m ³
	Long-term value: 0.2* I** mg/m ³ *fume **dusts and mists (as Cu)

· Ingredients with biological limit values:

7439-97-6 mercury (50-100%)

BMGV (Great Britain)	20 µmol/mol creatinine
	Medium: urine
	Sampling time: random
	Parameter: mercury

· Additional information:

As a basis for the production of this document, the most current valid lists were used.

· 8.2 Exposure controls

· Personal protective equipment:

· General protective and hygienic measures:

- Keep away from food, beverages and petfood.
- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Store protective clothing separately.

· Respiratory protection: In case of low exposure or short-term use respiratory protection with filter Hg/P3.

· Protection of hands:



Protective gloves

· Gloves material :

The selection of suitable gloves does not only depend on the material, but also on further marks of quality which may vary from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked before use.

Nitrile rubber, NBR

· Eye protection:



Safety glasses with side shields.

· Body protection:



Protective work clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Pasty

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 29.10.2013

Version number 1

Revision: 29.10.2013

Trade name: SEPTALLOY NG 50 Capsules

(Contd. of page 5)

· Colour:	Grey
· Odour:	Odourless
· Odour threshold:	Not determined.
· pH-value:	Not applicable.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not determined.
· Ignition temperature:	Not applicable.
· Decomposition temperature:	Not determined.
· Self-igniting:	Product is not self igniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not applicable.
· Density:	Not determined.
· Relative density :	Not determined.
· Vapour density :	Not applicable.
· Evaporation rate :	Not applicable.
· Solubility in / Miscibility with water:	Insoluble.
· Segregation coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Solvent content:	
VOC (EC)	0.00 %
· 9.2 Other information :	No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity**
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions :** No dangerous reactions known.
- **10.4 Conditions to avoid :** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** In case of fire: Mercury vapors

GB

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 29.10.2013

Version number 1

Revision: 29.10.2013

Trade name: SEPTALLOY NG 50 Capsules

(Contd. of page 6)

SECTION 11: Toxicological information**11.1 Information on toxicological effects****Acute toxicity:****LD/LC50 values relevant for classification:****7439-97-6 mercury**

Oral	LD50	6 mg/kg (mouse) 1 mg/kg (rat)
Dermal	LD50	41 mg/kg (rat)

Primary irritant effect:**On the skin:** No irritant effect.**On the eyes:** No irritant effect.**Sensitization:** No sensitizing effects known.**Additional toxicological information:**

The product shows the following hazards according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Toxic

SECTION 12: Ecological information**12.1 Toxicity****Aquatic toxicity:** No further relevant information available.**12.2 Persistence and degradability :** No further relevant information available.**12.3 Bioaccumulative potential :** No further relevant information available.**12.4 Mobility in soil :** No further relevant information available.**Ecotoxicological effects:****Remark:** Very toxic for fish**Additional ecological information:****General notes:**

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

12.5 Results of PBT and vPvB assessment**PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Other adverse effects :** No further relevant information available.**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Recommendation :**

Dispose of in accordance with regulations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 29.10.2013

Version number 1



Revision: 29.10.2013

Trade name: SEPTALLOY NG 50 Capsules

(Contd. of page 7)

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN-Number · ADR, IMDG, IATA	UN2809
· 14.2 UN proper shipping name · ADR · IMDG, IATA	2809 MERCURY, ENVIRONMENTALLY HAZARDOUS MERCURY
· 14.3 Transport hazard class(es) · ADR	
· Class · Label	8 (CT1) Corrosive substances. 8+6.1
· IMDG, IATA	
· Class · Label	8 Corrosive substances. 8+6.1
· 14.4 Packing group · ADR, IMDG, IATA	III
· 14.5 Environmental hazards: · Marine pollutant: · Special marking (ADR):	No Symbol (fish and tree)
· 14.6 Special precautions for user · Danger code (Kemler): · EMS Number: · Segregation groups	Warning: Corrosive substances. 80 F-A,S-B Heavy metals and their salts (including their organometallic compounds), mercury and mercury compounds
· 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Transport category · Tunnel restriction code	5 kg 3 E

(Contd. on page 9)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 29.10.2013

Version number 1

Revision: 29.10.2013

Trade name: SEPTALLOY NG 50 Capsules

(Contd. of page 8)

· **UN "Model Regulation":** UN2809, MERCURY, ENVIRONMENTALLY HAZARDOUS, 8 (6.1), III

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **National regulations:**
- **Information about limitation of use:**
Employment restrictions concerning pregnant and lactating women must be observed.
Employment restrictions concerning juveniles must be observed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H330 Fatal if inhaled.

H360D May damage the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

R26 Very toxic by inhalation.

R48/23 Toxic: danger of serious damage to health by prolonged exposure through inhalation.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R61 May cause harm to the unborn child.

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent